

GridFTP: Challenges in Bulk Data Movement

Raj Kettimuthu
Argonne National Laboratory and
The University of Chicago



Outline

- Introduction
- Network Capabilities
- End-to-End Problem
- Challenges
- GridFTP
- Future Directions

Today's Science Environments

 Large-scale collaborative science is becoming increasingly common



 Distributed community of users to access and analyze large amounts of data

the globus alliance

www.globus.org



Simulation Science

- In simulation science, the data sources are supercomputer simulations
 - For eg, DOE-funded climate modeling groups generate large reference simulations at supercomputer centers
- Combustion, fusion, computational chemistry, and astrophysics communities have similar requirements for remote and distributed data analysis



Experimental Science

- Data sources are facilities such as high energy and nuclear physics experiments and light sources.
 - For eg, LHC at CERN will produce petabytes of raw data per year for 15 years
- DOE light sources can also produce large quantities of data that must be distributed, analyzed, and visualized
- The international fusion experiment, ITER



Science Environments

- Raw simulation or observational data is just a starting point for most investigations
- Understanding comes from further analysis, reduction, visualization, and exploration



Petascale resource



Compute Cluster




Scientist's Desktop

 Furthermore the data is a community asset that must be accessible to any member of a distributed collaboration



Network Capabilities




Scientist A in California

Scientist B in New York

- Scientist A wants to transfer 1 Terabyte of data to Scientist B
- What is the fastest way to transfer the data?




Network Capabilities



Scientist A in California

- Scientist B in New York
- Scientist A wants to transfer 1 Terabyte of data to Scientist B
- What is the fastest way to transfer the data?

FedEx



Bandwidth Requirements

Bandwidth Requirements to move Y Bytes of data in Time X

Bits per Second Requirements

	1H	8H	24H	7Days	30Days
100MB	233.0 Kbps	29.1 Kbps	9.7 Kbps	1.4 Kbps	0.3 Kbps
1GB	2.4 Mbps	298.3 Kbps	99.4 Kbps	14.2 Kbps	3.3 Kbps
10GB	23.9 Mbps	3.0 Mbps	994.2 Kbps	142.0 Kbps	33.1 Kbps
100GB	238.6 Mbps	29.8 Mbps	9.9 Mbps	1.4 Mbps	331.4 Kbps
1TB	2.4 Gbps	305.4 Mbps	101.8 Mbps	14.5 Mbps	3.4 Mbps
10TB	24.4 Gbps	3.1 Gbps	1.0 Gbps	145.4 Mbps	33.9 Mbps
100TB	244.3 Gbps	30.5 Gbps	10.2 Gbps	1.5 Gbps	339.4 Mbps
1PB	2,502.0 Gbps	312.7 Gbps	104.2 Gbps	14.9 Gbps	3.5 Gbps
10PB	25,020.0 Gbps	3,127.5 Gbps	1,042.5 Gbps	148.9 Gbps	34.7 Gbps
		•	•		



ESNET

ESnet 4 Backbone Optical Circuit Configuration (December, 2008) eattle **Boston** Clev New York City \$unnyvale Denver 20G Washington DC 20G Kansas City Los Angeles Nashville San Diego Ibuquerque Atlanta El Paso 10 Gb/s SDN core (NLR) Houston 10/2.5 Gb/s IP core (QWEST) Future ESnet Hub 10 Gb/s IP core (Level3) 10 Gb/s SDN core (Level3) ESnet Hub (IP and MAN rings (≥ 10 G/s) SDN devices) Lab supplied links 09/24/2009 University of Vienna



- Now that high-speed networks are available, can we move data at network speeds on the network?
- What if the speed of airplanes had increased by the same factor as computers over the last 50 years, namely five orders of magnitude?



- Now that high-speed networks are available, can we move data at network speeds on the network?
- What if the speed of airplanes had increased by the same factor as computers over the last 50 years, namely five orders of magnitude?

We would be able to cross US in less than a second



- Now that high-speed networks are available, can we move data at network speeds on the network?
- What if the speed of airplanes had increased by the same factor as computers over the last 50 years, namely five orders of magnitude?

We would be able to cross US in less than a second

Yes. But it would still take two hours to get to downtown




- Data movement in distributed science environments is an end-to-end problem
- A 10 Gbit/s network link between the source and destination does not guarantee an end-to-end data rate of 10 Gbit/s
- Other factors such as storage system, disk, data rate supported by the end node
- Deal with failures of various sorts
 - Firewalls can cause difficulties

End-to-end data transfer

the globus alliance

Efficient and robust wide area data transport requires the management of complex systems at multiple levels.





Challenges

- Standard
- Throughput
- Robustness
- Secure
- Ease-of-use
- Scalable
- Extensible
- Reliable



GridFTP

- High-performance, reliable data transfer protocol optimized for high-bandwidth widearea networks
- Based on FTP protocol defines extensions for high-performance operation and security
- Standardized through Open Grid Forum (OGF)
- GridFTP is the OGF recommended data movement protocol




GridFTP


- We (Globus Alliance) supply a reference implementation:
 - Server
 - Client tools
 - Development Libraries
- Multiple independent implementations can interoperate
 - Fermi Lab and U. Virginia have home grown servers that work with ours

the globus alliance www.globus.org

GridFTP

- Two channel protocol like FTP
- Control Channel
 - Communication link (TCP) over which commands and responses flow
 - Low bandwidth; encrypted and integrity protected by default
- Data Channel
 - Communication link(s) over which the actual data of interest flows
 - High Bandwidth; authenticated by default; encryption and integrity protection optional








Globus GridFTP Features

- GridFTP is Fast
 - Parallel TCP streams
 - Non TCP protocol such as UDT
 - Set optimal TCP buffer sizes
 - Order of magnitude greater
- Cluster-to-cluster data movement
 - Co-ordinated data movement using multiple computers at each end
 - Another order of magnitude




Cluster-to-Cluster transfers





Performance

• Mem. transfer between Urbana, IL and San Diego, CA




09/24/2009

University of Vienna

Alliance Www.globus.org Performance

Disk transfer between Urbana, IL and San Diego, CA




the globus alliance



GridFTP in production

- Many Scientific communities rely on GridFTP
 - High Energy Physics LHC computing Grid
 - Southern California Earthquake Center (SCEC), Earth Systems Grid (ESG), Relativistic Heavy Ion Collider (RHIC), European Space Agency, BBC use GridFTP for data movement
- GridFTP facilitates an average of more than 5 million data transfers every day

GridFTP Servers Around the World




Created by Lydia Prieto; G. Zarrate; Anda Imanitchi (Florida State University) using MaxMind's GeoIP technology (http://www.maxmind.com/app/ip-locate).

the globus alliance

www.globus.org



GridFTP in Production





GridFTP in production



One terabyte moved from an Advanced Photon Source tomography beamline to Australia, at a rate 30x faster than standard FTP



1.5 terabyte moved from
University of Wisconsin,
Milwaukee to Hannover,
Germany at a sustained rate
of 80 megabyte/sec




Security

- GridFTP provides strong security using GSI
- Protection vs. Ease of use
 - GSI and CAs were hard for many users
- Speed vs. protection
 - Users area happy with a minimal amount of data channel protection
- GridFTP over SSH
 - A big win for many users



sshftp:// Interactions






Challenges

- Past success
 - Standard big selling point for adoption
 - Throughput GridFTP was sold on speed
 - Robustness has to work all the time
 - Secure data channel security
- Current and future
 - Extensible
 - Reliable
 - Ease-of-use
 - Zero configuration clients
 - Firewall
 - Scalable




GridFTP Architecture





Modular



Well defined interfaces

Data Storage Interface (DSI)

- POSIX file system
- High Performance Storage System (HPSS)
- Storage Resource Broker (SRB)
- Hadoop DFS



Modular

- Network I/O module
 - Simple Open/Close/Read/Write interface
 - Well-defined abstraction called drivers
 - Easy to plug-in external libraries
 - TCP, UDT, Phoebus
- Data processing module
 - Compression (under development)
 - Checksum



Handling failures

- GridFTP server sends restart and performance markers periodically
 - Default every 5s configurable
- Helpful if there is any failure
 - No need to transfer the entire file again
 - Use restart markers and transfer only the missing pieces
- GridFTP supports partial file transfers



Handling failures

- Command-line client globus-url-copy support transfer retries
 - Use restart markers
- Recover from server and connection failures
- Improvements to globus-url-copy to recover from client failures




Easy-to-use

- Simple to install
 - Configure; make gridftp install;
 - Installs only gridftp and its dependencies
 - Binaries available for many platforms
- Various clients
 - Command-line client globus-url-copy
 - Client libraries well-defined API
 - Graphical User Interface


the globus alliance www.globus.org

alliance www.globus.org GridFTP GUI





Firewalls





Firewalls

- Control channel is statically assigned
- Data channels dynamically assigned
- Single port GridFTP
 - Need to distinguish between the control channel and data channel
 - Need to associate data channels with the appropriate control channel
 - Backward compatibility is a challenge



Hosted Data Movement

- RFT evolution
 - Reliable File Transfer Service WSRF based service
 - Configuration/setup not simple
- DataKoa
 - Hosted data movement service
 - Software as a service model
 - Fire and forget
 - Less user interaction
 - Email notifications



Questions